

**EXHIBIT C**  
**AREAS OF BIOLOGICAL WEALTH**

---

The following addresses the requirements of Arizona Administrative Code R14-3-219, which states:

*Describe any areas in the vicinity of the proposed site or route which are unique because of biological wealth or because they are habitats for rare and endangered species. Describe the biological wealth or species involved and state effects, if any, the proposed facilities will have thereon.*

**Methods**

The U.S. Fish and Wildlife Service (USFWS) and the Arizona Game and Fish Department (AGFD) were solicited for information regarding the potential occurrence of special status species within the Project Study Area (PSA). Special status plant and wildlife species are subject to regulations under the authority of federal and state agencies. Special status species that could be associated with the proposed Southeast Power Link (SPL) Project (Project) include those species that are listed by the USFWS as federally endangered, threatened, proposed, or candidate species under the Endangered Species Act of 1973 (ESA), Section 4, as amended; listed as Wildlife of Special Concern by the AGFD; or protected under the Arizona Native Plant Law (NPL) [Arizona Department of Agriculture (AZDA)]. Descriptions of these special status species are summarized below:

- Endangered species, protected under the ESA, are those species in danger of extinction throughout all or a significant portion of their range.
- Threatened species, protected under the ESA, are those species likely to become endangered in the foreseeable future.
- Proposed species are those species recommended for listing under Section 4 of the ESA.
- Candidate species are those species for which the USFWS has sufficient information on their biological status and threats to propose them as endangered or threatened under the ESA, but has precluded the development of a proposed listing regulation because of other higher priority listing activities. Candidate species are not protected under the ESA.
- USFWS Species of Concern is an informal term that refers to those species that the USFWS believes may be in need of concentrated conservation actions. Conservation actions, such as monitoring, vary depending on the health of the populations and degree and types of threats. USFWS Species of Concern receive no legal protection under the ESA and the use of the term does not necessarily mean that the species will eventually be proposed for listing as a threatened or endangered species.
- AGFD Species of Greatest Conservation Need (SGCN) are species determined to be vulnerable in at least one of the following eight criteria: extirpated from Arizona, federal or state status, declining status, disjunct status, demographic status, concentration status, fragmentation status, and distribution status, as described by the AGFD's listing of Wildlife of Special Concern in Arizona (WSCA, updated May 5, 2016).

- AZDA Highly Safeguarded or Salvage Restricted Native Plants identifies special status plants that are protected under the Arizona NPL and fall into these categories: Highly Safeguarded (no collection allowed); Salvage Restricted (collection allowed only with permit); Export Restricted (transport out of State prohibited); Salvage Assessed (permits required to remove live trees); and Harvest Restricted (permits required to remove plant by-products).

The USFWS Information for Planning and Consulting (IPaC) was accessed and the USFWS generated a report listing proposed, candidate, threatened, and endangered species and other resources that could potentially occur within the PSA (USFWS 2018). In addition, the AGFD has published a list of special status species that could occur in each county in Arizona (AGFD 2018a) as well as a list of species occurrences for each county (AGFD 2018b). These lists were consulted to identify species that could potentially be present in the vicinity of the Project. **Table C-1** presents the special status species potentially occurring within Maricopa County (where the Project is located) listed by common name, scientific name, and status. After completing the desktop analysis, a field reconnaissance survey was completed by a qualified biologist on May 16, 2018.

The USFWS has identified 0 plant species and 2 wildlife species (2 birds) with federal status that have the potential to occur within the PSA. The AGFD has identified 17 plant species and 32 wildlife species (14 mammals, 0 fish, 5 birds, 2 amphibians, and 11 reptiles) with special status that have the potential to occur within the PSA in Maricopa County. The results of the IPaC report are included in **Exhibit C-1**.

An AGFD online Project Evaluation Program (PEP) search was completed for the Project on May 3, 2018 (AGFD 2018c). The information provided in the PEP is used to guide preliminary decisions and assessments of proposed land development, management, and conservation projects, while incorporating fish and wildlife resource needs or features. The PEP indicated that there are 4 special status species that are known to occur within 3 miles of the PSA. The results of the PEP search are included in **Exhibit C-1**.

Prior to conducting desktop analysis, the ecology and habitat requirements of various species that could occur in the county were researched. A qualified biologist conducted the desktop analysis using digital photography and photographs of the PSA. The information was used to evaluate the potential effects of Project implementation on special status species within the vicinity of the Project.

## **Results of Reconnaissance Survey**

The analysis and reconnaissance survey determined that overall habitat quality, plant diversity, and plant density are very low. The PSA contains patches of native habitat, active agriculture, dairy operations, and existing roads. Many of the surrounding lands are being converted into residential developments. Vegetation is comprised mostly of creosote bush (*Larrea tridentata*) scrub and patchy honey mesquite (*Prosopis glandulosa*). Approximately 1/3 of the lands within the PSA are used for agriculture (farming and dairy operations), approximately 1/3 is native habitat, and 1/3 is disturbed by roadways or is being converted to residential. The PSA elevations

range from 1,325 to 1,433 feet. Vegetation communities found within the PSA are described below:

### **Agriculture – Active**

The PSA supports areas of active agricultural lands, most of which are growing alfalfa or are currently fallow. Irrigation canals and head ditches are common. There are also multiple dairy operations. These lands have been used for agriculture for many years and are mostly surrounded by residential areas.

### **Disturbed Urban Habitat**

The PSA contains numerous roadways and transmission lines that bisect residential and commercial areas. The areas within road rights-of-way (ROW) have been disturbed by initial construction and on-going maintenance activities. Residential and commercial developments, and roadside landscaping exist within and adjacent to these features, and continue to be developed. There are scattered and isolated native plants and landscaped plants along the roads, including blue palo verde (*Cercidium floridum*) and honey mesquite (*Prosopis glandulosa*), as well as non-native grasses.

### **Native Desert**

Native areas in the PSA support scattered and sparse creosote bush scrub, salt bush and honey mesquite. There are several small areas with relatively dense patches of honey mesquite where water is blocked by existing roads or canals forming slightly moister areas than where natural drainage occurs. The native desert habitat tends to be isolated and is broken up by major roads, residential development, an airport and agricultural activities.

## **Findings**

### **Threatened, Endangered, and Sensitive Plant Species**

The USFWS and AGFD lists referenced earlier were consulted to provide a basis for protected species that might be present in the vicinity of the Project. **Table C-1** presents the special status species potentially occurring within the area, listed by common name, scientific name, and status.

The USFWS has identified no plant species with federal status and the AGFD has identified 17 plant species with special status that have the potential to occur within Maricopa County.

There appear to be no suitable habitats for federally listed Threatened and Endangered (T&E) plants or plants protected by the Arizona NPL, and none of these protected species are known to occur within 3 miles of the PSA (USFWS 2018; AGFD 2018c).

### **Threatened, Endangered, and Sensitive Wildlife Species**

As mentioned earlier, the USFWS has identified 2 wildlife species (2 birds) with federal status and the AGFD has identified 32 wildlife species (14 mammals, 0 fish, 5 birds, 2 amphibians, and 11 reptiles) with special status that have the potential to occur within Maricopa County.

There is no suitable habitat for federally threatened, endangered, or candidate wildlife species in the PSA. There is potentially suitable habitat for 2 special status wildlife species that are known to occur within 3 miles of the PSA and that have the potential to occur within the PSA - the western burrowing owl (*Athene cunicularia hypugaea*)(BUOW)(USFWS Species of Concern and AGFD SGCN 1B) and American peregrine falcon (*Falco peregrinuns anatum*)(PEFA)(USFWS Species of Concern and AGFD SGCN 1A). The active agricultural lands and native desert lands in the PSA provide potential nesting and foraging habitat for BUOW and the likelihood of occurrence for this species is moderate. The active agricultural lands and native desert lands in the PSA provide potential foraging habitat for PEFA and the likelihood of occurrence for this species is low.

Southwestern willow flycatcher (*Empidonax traillii extimus*)(USFWS Endangered and AGFD SGCN 1A) and bald eagle (*Haliaeetus leucocephalus*) are known to occur within 3 miles of the PSA (AGFD 2018c); however, no suitable nesting or foraging habitat for either species occurs within the PSA.

There is no suitable habitat and/or the PSA is not within the appropriate elevation ranges for the remainder of the special status species identified by the USFWS and AGFD for Maricopa County. Therefore, the potential for occurrence of these species within or in the vicinity of the PSA is highly unlikely (**Table C-1**).

Exhibit C – Areas of Biological Wealth

Table C-1. Special Status Species with the Potential to Occur in Maricopa County				
Species		Protection Status <sup>1</sup>		
Common name	Scientific name	ESA <sup>2</sup>	Arizona SGCN <sup>3</sup>	Potential to Occur in Project Study Area (Justification) <sup>4</sup>
<b>Plants</b>				
Pima Indian Mallow	<i>Abutilon parishii</i>	SC	SR	No (Elevation)
Tonto Basin Agave	<i>Agave delamateri</i>	SC	HS	No (Habitat)
Hohokam Agave	<i>Agave murpheyi</i>	SC	HS	No (Habitat)
Toumey Agave	<i>Agave toumeyana var. bella</i>	--	SR	No (Elevation)
Arizona Agave	<i>Agave x arizonica</i>	--	HS	No (Elevation)
Bigelow Onion	<i>Allium bigelovii</i>	--	SR	No (Elevation)
Johnson's Fishhook Cactus	<i>Echinomastus johnsonii</i>	--	SR	No (Habitat)
Fish Creek Fleabane	<i>Erigeron piscaticus</i>	SC	SR	No (Elevation)
Ripley Wild-buckwheat	<i>Eriogonum ripleyi</i>	SC	SR	No (Elevation)
Desert Barrel Cactus	<i>Ferocactus cylindraceus</i>	--	SR	No (Habitat)
Emory's Barrel Cactus	<i>Ferocactus emoryi</i>	--	SR	No (Habitat)
Flannel Bush	<i>Fremontodendron californicum</i>	--	SR	No (Elevation)
Varied Fishhook Cactus	<i>Mammillaria viridiflora</i>	--	SR	No (Elevation)
Straw-top Cholla	<i>Opuntia echinocarpa</i>	--	SR	No (Habitat)
Cactus Apple	<i>Opuntia engelmannii var. flavispina</i>	--	SR	No (Habitat)
Organ Pipe Cactus	<i>Stenocereus thurberi</i>	--	SR	No (Habitat)
Tumamoc Globeberry	<i>Tumamoca macdougalii</i>	--	SR	No (Habitat)
<b>Mammals</b>				
Harris' Antelope Squirrel	<i>Ammonospermophilus harrisii</i>	--	1B	No (Habitat)
Pale Townsend's Big-eared Bat	<i>Corynorhinus townsendii pallescens</i>	SC	1B	No (Elevation)
Spotted Bat	<i>Euderma maculatum</i>	SC	1B	No (Habitat)
Greater Western Bonneted Bat	<i>Eumops perotis californicus</i>	SC	1B	No (Habitat)
Western Red Bat	<i>Lasiurus blossevillii</i>	--	1B	No (Elevation)
Western Yellow Bat	<i>Lasiurus xanthinus</i>	--	1B	No (Habitat)
Antelope Jackrabbit	<i>Lepus alleni</i>	--	1B	No (Habitat)
California Leaf-nosed Bat	<i>Macrotus californicus</i>	SC	1B	No (Habitat)
Arizona Myotis	<i>Myotis occultus</i>	SC	1B	No (Habitat)
Cave Myotis	<i>Myotis velifer</i>	SC	1B	No (Habitat)
Yuma Myotis	<i>Myotis yumanensis</i>	SC	1B	No (Habitat)
Pocketed Free-tailed Bat	<i>Nyctinomops femorosaccus</i>	--	1B	No (Habitat)
Brazilian Free-tailed Bat	<i>Tadarida brasiliensis</i>	--	1B	No (Habitat)
Kit Fox	<i>Vulpes macrotis</i>	--	1B	No (Habitat)

Exhibit C – Areas of Biological Wealth

Table C-1. Special Status Species with the Potential to Occur in Maricopa County				
Species		Protection Status <sup>1</sup>		
Common name	Scientific name	ESA <sup>2</sup>	Arizona SGCN <sup>3</sup>	Potential to Occur in Project Study Area (Justification) <sup>4</sup>
<b>Birds</b>				
Golden Eagle	<i>Aquila chrysaetos</i>	SC	1B	No (Habitat)
Western Yellow-billed Cuckoo	<i>Coccyzus americanus occidentalis</i>	T	1A	No (Habitat)
Western Burrowing Owl	<i>Athene cunicularia hypugaea</i>	SC	1B	Yes
Southwestern Willow Flycatcher	<i>Empidonax traillii extimus</i>	E	1A	No (Habitat)
American Peregrine Falcon	<i>Falco peregrinuns anatum</i>	SC	1A	Yes (Foraging)
Bald Eagle	<i>Haliaeetus leucocephalus</i>	SC	1A	No (Habitat)
California Least Tern	<i>Sterna antillarum browni</i>	E	--	No (Habitat)
<b>Reptiles</b>				
Variable Sandsnake	<i>Chilomeniscus stramineus</i>	--	1B	No (Habitat)
Tucson Shovel-nosed Snake	<i>Chionactis occipitalis klauberi</i>	--	1A	No (Habitat)
Sonoran Whipsnake	<i>Coluber bilineatus</i>	--	1B	No (Habitat)
Tiger Rattlesnake	<i>Crotalus tigris</i>	--	1B	No (Habitat)
Sonoran Desert Tortoise	<i>Gopherus morafkai</i>	--	1A	No (Habitat)
Gila Monster	<i>Heloderma suspectum</i>	SC	1A	No (Habitat)
Desert Mud Turtle	<i>Kinosternon sonoriense sonoriense</i>	--	1B	No (Habitat)
Sonoran Coralsnake	<i>Micruroides euryxanthus</i>	--	1B	No (Habitat)
Goode's Horned Lizard	<i>Phrynosoma goodei</i>	--	1B	No (Habitat)
Regal Horned Lizard	<i>Phrynosoma solare</i>	--	1B	No (Habitat)
Saddled Leaf-nosed Snake	<i>Phyllorhynchus browni</i>	--	1B	No (Habitat)
<b>Amphibians</b>				
Sonoran Desert Toad	<i>Incilius alvarius</i>	--	1B	No (Habitat)
Lowland Leopard Frog	<i>Lithobates yavapaiensis</i>	SC	1A	No (Habitat)
<sup>1</sup> E=Endangered, T=Threatened, C=Candidate, EP, NE=Experimental Population, Non-Essential, SC=Species of Concern, DM= Delisted taxon, recovered, and being monitored for the first five years, WSC=Wildlife of Special Concern, SR=Salvage Restricted, HS=Highly Safeguarded <sup>2</sup> USFWS 2018 <sup>3</sup> AGFD 2018a <sup>4</sup> Elevation means the species does not have the potential to occur because the PSA is not within its elevation requirements. Habitat means the PSA is within the species elevation requirements but there is no suitable or potential habitat for the species. References are provided in the References Section. Other Sources: Corman et al. 2005, eflora 2013				

## **Potential Effects**

The following sections address the potential effects from development of the various Project components to special status species identified as having the potential to occur within the PSA.

### **Plants**

Of the 17 special status plant species having some potential to occur within Maricopa County, none have been recorded in or within 3 miles of the PSA (AGFD 2018c). Additionally, either the elevation of the PSA is outside of the range for these plants and/or there is no suitable habitat in the PSA. The Project will therefore have no direct or indirect impacts on threatened, endangered, and state-protected plants.

### **Wildlife**

Agricultural, residential, and commercial development, along with its associated roads and infrastructure, has converted and degraded areas of natural vegetation (wildlife habitat) in the PSA. The Project would permanently impact a very small area and the majority of the Project-related impacts would be temporary and short-term in nature.

There are no suitable habitats for federally threatened, endangered, or candidate species in the Project area so there would be no impacts on these species from implementation of the Project.

Two special status wildlife species, BUOW and PEFA, have the potential to occur in the PSA. BUOW habitat (burrows and foraging habitat) could be directly impacted by construction activities. Construction-related impacts would be temporary and short-term, and may include the temporary loss of habitat and displacement of resident BUOW from the construction area, possible injury or death during ground-disturbing activities (active burrow removal), temporary impacts on foraging behaviors, and noise-related disturbance.

If construction occurs during the nesting season, a pre-construction protocol survey per the *Burrowing Owl Project Clearing Guidance for Landowners (AGFD 2009)* would be conducted to ensure that any active BUOW burrows are avoided. If active burrows are found, an appropriate avoidance buffer would be established (per AGFD guidelines) and construction would not occur within that buffer until the nest becomes inactive. Therefore, direct impacts associated with the Project would constitute a short-term minor impact on BUOW. The potential BUOW impacts for each Project component are discussed below.

The PSA provides suitable but low-quality foraging habitat for the PEFA. This habitat could be directly impacted by construction activities. Construction-related impacts would be temporary and short-term, and may include the temporary loss of habitat and displacement of foraging falcons from the construction area, temporary impacts on foraging behaviors, and noise-related disturbance. The nearest potential nesting habitat is approximately 12 miles from the PSA.

The presence of irrigation infrastructure in agricultural areas in the PSA may attract waterfowl and shorebirds. This may increase the potential for avian-line interactions for birds making localized

movements between water features and roost sites. To minimize risk to migratory birds, the lines will be constructed following industry suggested practices aimed at reducing avian collisions and electrocutions (Avian Power Line Interaction Committee [APLIC] 2006 and 2012). If avian line interactions become an issue, Salt River Project Agricultural Improvement and Power District (SRP) will move quickly to evaluate the issue and craft a solution using appropriate state of the art measures.

Impacts to bats are not anticipated based on the lack of suitable roosting and foraging habitat.

## **Proposed Alignment**

### **Northern Alignment**

#### **Loop 202 Proposed Alignment**

The Proposed Alignment (P1 – P3) would parallel existing roads/highways for its entire length, approximately 1.55 miles along the east side of Loop 202, or 1.67 miles along the west side of Loop 202. The vacant land areas adjacent to the Proposed Alignment provide potential BUOW habitat and low-quality PEFA foraging habitat. Vacant lands consist of creosote bush scrub and disturbed areas. It is in these areas that burrows are the most likely to be encountered. With the incorporation of SRP's proposed measures, the Project is anticipated to have minimal impact on the BUOW and PEFA.

#### **RS-31 Substation Siting Area**

The RS-31 Substation Siting Area is located entirely on vacant land (226 acres) that is dominated by creosote bush scrub with scattered, small mesquite. The entire site provides potential BUOW habitat and low-quality PEFA foraging habitat. With the incorporation of SRP's proposed measures, the Project is anticipated to have minimal impact on the BUOW and PEFA. The substation footprint would result in the long-term loss of BUOW and PEFA habitat.

### **Central Alignment**

#### **State Route (SR)-24 Proposed Alignment**

The Proposed Alignment (P5 – P6) would parallel the future SR-24 for its entire length, approximately 2.08 miles on the north side of SR-24, or 2.55 miles along the south side of SR-24. The vacant land areas adjacent to the Proposed Alignment provide potential BUOW habitat and low-quality PEFA foraging habitat. Vacant lands consist of creosote bush scrub with scattered, small mesquite. Burrows are most likely to be encountered in these areas. With the incorporation of SRP's proposed measures, the Project is anticipated to have minimal impact on the BUOW and PEFA.

**Southern Alignment**

**Crismon Road Proposed Alignment**

The Proposed Alignment (P6 – P14) would parallel an existing transmission line and existing and planned roads for its entire length, approximately 2.11 miles. The vacant land areas adjacent to the Proposed Alignment provide potential BUOW habitat and low-quality PEFA foraging habitat. Vacant lands consist of creosote bush scrub with scattered mesquite (approximately 0.60 miles) and one isolated, dense patch of mesquite north of Pecos Road. Burrows are most likely to be encountered in these areas. The remainder of the Proposed Alignment (approximately 1.51 miles) traverses existing agricultural fields and is adjacent to a nursery. With the incorporation of SRP’s proposed measures, the Project is anticipated to have minimal impact on the BUOW and PEFA.

**Conclusions**

A large portion of the PSA has been previously disturbed, significantly reducing its habitat quality. Those areas that are undisturbed and support habitat are also relatively low-quality because they are isolated by the existing development. Construction of the transmission line would occur in previously disturbed areas or immediately adjacent to previously disturbed areas. The sensitive species with the potential to occur in the PSA would not be expected to be negatively affected because of the small amount of suitable habitat and/or mitigation measures (identified in **Table C-2**) that would be employed to minimize the potential risk to this and other species.

<b>Table C-2. SRP Proposed Measures</b>
<b><i>BIOLOGICAL RESOURCES</i></b>
<b><i>Vegetation</i></b>
<i>Adverse effects on vegetation during construction would be minimized as follows:</i>
<ul style="list-style-type: none"> <li>• Prohibit vehicle operation off designated routes by construction workers, including construction work and employee access.</li> <li>• Existing access roads would be used to the maximum extent allowable and development of overland travel routes would be minimized.</li> <li>• Vegetation disturbance including its removal would be avoided and minimized wherever possible. Access road construction activities shall implement drive and crush to minimize impacts to the roots of desert shrubs rather than grading, where possible. To the extent possible, grading and grubbing of vegetative cover will be avoided on all tower pad locations and all vehicular traffic will travel only on authorized access routes.</li> </ul>
<i>The following prescriptions would prevent the spread of invasive weeds into previously noninfested areas in the designated construction ROW.</i>
<ul style="list-style-type: none"> <li>• In advance of construction activities, all construction equipment arriving on site would have the tires, axles, frame, running boards, under-carriages, and any equipment parts designed to hold soil or rock washed and cleaned at a documented off-site location to prevent transport of invasive weed species into Project areas.</li> </ul>
<b><i>Wildlife</i></b>
<i>Construction activities and vehicle operation would be conducted to minimize potential impacts or disturbance of wildlife.</i>
<ul style="list-style-type: none"> <li>• Speed limits along the ROW and access roads will be limited to 15 mph. In addition, construction and maintenance employees would exercise caution when traveling to and from the proposed ROW site on designated routes to reduce the potential for wildlife mortality.</li> <li>• Equipment stockpiles and vehicle parking will occur only on designated wire tensioning (pull) sites or on private lands.</li> </ul>

## Exhibit C – Areas of Biological Wealth

---

<ul style="list-style-type: none"><li>• The minimum number and types of vehicles and equipment would be limited to those necessary for construction.</li><li>• During construction, work areas will be checked for animals before daily work is initiated.</li></ul>
<i>Design would minimize electrocution and collision potential for birds</i>
Design would space conductors and shield wires sufficiently apart so that birds cannot contact two conductors or one conductor and a shield wire to cause electrocution as outlined in Suggested Practices for Avian Protection on Power Lines: The State of the Art in 2006 (APLIC 2006) and Reducing Avian Collisions with Power Lines: The State of the Art in 2012 (APLIC 2012).
<i>Implement conservation measures to decrease the likelihood of take of special status wildlife species and impacts to critical habitat.</i>
<ul style="list-style-type: none"><li>• Flag or otherwise mark the outer boundaries of the construction areas where necessary to define the limit of work activities.</li><li>• Minimize habitat degradation by limiting travel to existing roads and surface disturbance to previously disturbed areas.</li></ul>
<ul style="list-style-type: none"><li>• Conduct pre-construction burrowing owl survey during the BUOW nesting season to ensure that any active BUOW burrows are avoided.</li></ul>
<ul style="list-style-type: none"><li>• If construction occurs during the nesting season, a pre-construction migratory bird nest survey would be conducted to ensure that any active nests are avoided. If an active nest is found, an appropriate avoidance buffer would be established (per USFWS Nationwide Standard Conservation Measures) and construction would not occur within that buffer until the nest becomes inactive.</li></ul>

## References

- AGFD. 2018a. Arizona Heritage Data Management System, special status species by county, taxon, scientific name (updated May 8, 2017). [Web Page] Located at [http://www.azgfd.gov/w\\_c/edits/documents/sss-species\\_bycounty\\_001.pdf](http://www.azgfd.gov/w_c/edits/documents/sss-species_bycounty_001.pdf). Accessed: May 3, 2018.
- AGFD. 2018b. Arizona HDMS, element status designations by county, taxon, scientific name (updated May 8, 2018). [Web Page] Located at [http://www.azgfd.gov/w\\_c/edits/documents/all-species\\_bycounty\\_001.pdf](http://www.azgfd.gov/w_c/edits/documents/all-species_bycounty_001.pdf). Accessed: May 3, 2018.
- AGFD. 2018c. Arizona's On-line Environmental Review Tool. [Web Page] Located at <http://www.azgfd.gov/hgis/>. Project ID: HGIS-00414. Accessed: May 3, 2018.
- Arizona Burrowing Owl Working Group. 2009. *Burrowing Owl Project Clearance Guidance for Landowners*. AGFD. Phoenix, Arizona.
- APLIC. 2012. *Reducing Avian Collisions with Power Lines: The State of the Art in 2012*. Edison Electric Institute and Avian Power Line Interaction Committee. Washington D.C.
- APLIC. 2006. *Suggested Practices for Avian Protection on Power Lines: The State of the Art in 2006*. Edison Electric Institute and Avian Power Line Interaction Committee. Washington D.C.
- Corman, T. and C. Wise-Gervais (editors). 2005. *Arizona Breeding Bird Atlas*. University of New Mexico Press. Albuquerque, New Mexico. 636 pp.
- eflora. 2013. Flora of North America. Multiple Species. [Web Page] Located at [http://www.efloras.org/florataxon.aspx?flora\\_id=1&taxon\\_id=242415355](http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=242415355). Accessed: May 4, 2018.
- USFWS. 2018. Information for Planning and Consultation Resource List, List of Species. [Web Page] Located at <http://www.ecos.fws.gov/ipac/>. Accessed: May 3, 2018.
- USFWS. 2018. Nationwide Standard Conservation Measures. [Web Page] Located at <https://www.fws.gov/migratorybirds/pdf/management/nationwidestandardconservationmeasures.pdf> Accessed July 22, 2018.

**EXHIBIT C-1**  
**AGENCY CORRESPONDENCE**

---

# IPaC resource list

This report is an automatically generated list of species and other resources such as critical habitat (collectively referred to as *trust resources*) under the U.S. Fish and Wildlife Service's (USFWS) jurisdiction that are known or expected to be on or near the project area referenced below. The list may also include trust resources that occur outside of the project area, but that could potentially be directly or indirectly affected by activities in the project area. However, determining the likelihood and extent of effects a project may have on trust resources typically requires gathering additional site-specific (e.g., vegetation/species surveys) and project-specific (e.g., magnitude and timing of proposed activities) information.

Below is a summary of the project information you provided and contact information for the USFWS office(s) with jurisdiction in the defined project area. Please read the introduction to each section that follows (Endangered Species, Migratory Birds, USFWS Facilities, and NWI Wetlands) for additional information applicable to the trust resources addressed in that section.

## Project information

### NAME

Southeast Power Link - Reduced

### LOCATION

Maricopa County, Arizona



### DESCRIPTION

Transmission line.

## Local office

Arizona Ecological Services Field Office

☎ (602) 242-0210

📠 (602) 242-2513

9828 North 31st Ave

#c3

Phoenix, AZ 85051-2517

<http://www.fws.gov/southwest/es/arizona/>

[http://www.fws.gov/southwest/es/EndangeredSpecies\\_Main.html](http://www.fws.gov/southwest/es/EndangeredSpecies_Main.html)

NOT FOR CONSULTATION

# Endangered species

**This resource list is for informational purposes only and does not constitute an analysis of project level impacts.**

The primary information used to generate this list is the known or expected range of each species. Additional areas of influence (AOI) for species are also considered. An AOI includes areas outside of the species range if the species could be indirectly affected by activities in that area (e.g., placing a dam upstream of a fish population, even if that fish does not occur at the dam site, may indirectly impact the species by reducing or eliminating water flow downstream). Because species can move, and site conditions can change, the species on this list are not guaranteed to be found on or near the project area. To fully determine any potential effects to species, additional site-specific and project-specific information is often required.

Section 7 of the Endangered Species Act **requires** Federal agencies to "request of the Secretary information whether any species which is listed or proposed to be listed may be present in the area of such proposed action" for any project that is conducted, permitted, funded, or licensed by any Federal agency. A letter from the local office and a species list which fulfills this requirement can **only** be obtained by requesting an official species list from either the Regulatory Review section in IPaC (see directions below) or from the local field office directly.

For project evaluations that require USFWS concurrence/review, please return to the IPaC website and request an official species list by doing the following:

1. Log in to IPaC.
2. Go to your My Projects list.
3. Click PROJECT HOME for this project.
4. Click REQUEST SPECIES LIST.

Listed species<sup>1</sup> and their critical habitats are managed by the [Ecological Services Program](#) of the U.S. Fish and Wildlife Service (USFWS) and the fisheries division of the National Oceanic and Atmospheric Administration (NOAA Fisheries<sup>2</sup>).

Species and critical habitats under the sole responsibility of NOAA Fisheries are **not** shown on this list. Please contact [NOAA Fisheries](#) for [species under their jurisdiction](#).

1. Species listed under the [Endangered Species Act](#) are threatened or endangered; IPaC also shows species that are candidates, or proposed, for listing. See the [listing status page](#) for more information.
2. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

The following species are potentially affected by activities in this location:

## Birds

NAME	STATUS
------	--------

California Least Tern *Sterna antillarum browni* Endangered  
No critical habitat has been designated for this species.  
<https://ecos.fws.gov/ecp/species/8104>

Yellow-billed Cuckoo *Coccyzus americanus* Threatened  
There is **proposed** critical habitat for this species. Your location is outside the critical habitat.  
<https://ecos.fws.gov/ecp/species/3911>

## Critical habitats

Potential effects to critical habitat(s) in this location must be analyzed along with the endangered species themselves.

THERE ARE NO CRITICAL HABITATS AT THIS LOCATION.

## Migratory birds

Certain birds are protected under the Migratory Bird Treaty Act<sup>1</sup> and the Bald and Golden Eagle Protection Act<sup>2</sup>.

Any person or organization who plans or conducts activities that may result in impacts to migratory birds, eagles, and their habitats should follow appropriate regulations and consider implementing appropriate conservation measures, as described [below](#).

1. The [Migratory Birds Treaty Act](#) of 1918.
2. The [Bald and Golden Eagle Protection Act](#) of 1940.

Additional information can be found using the following links:

- Birds of Conservation Concern <http://www.fws.gov/birds/management/managed-species/birds-of-conservation-concern.php>
- Measures for avoiding and minimizing impacts to birds <http://www.fws.gov/birds/management/project-assessment-tools-and-guidance/conservation-measures.php>
- Nationwide conservation measures for birds <http://www.fws.gov/migratorybirds/pdf/management/nationwidestandardconservationmeasures.pdf>

The birds listed below are birds of particular concern either because they occur on the [USFWS Birds of Conservation Concern](#) (BCC) list or warrant special attention in your project location. To learn more about the levels of concern for birds on your list and how this list is generated, see the FAQ [below](#). This is not a list of every bird you may find in this location, nor a guarantee that every bird on this list will be found in your project area. To see exact locations of where birders and the general public have sighted birds in and around your project area, visit the [E-bird data mapping tool](#) (Tip: enter your location, desired date range and a species on your list). For projects that occur off the Atlantic Coast,

additional maps and models detailing the relative occurrence and abundance of bird species on your list are available. Links to additional information about Atlantic Coast birds, and other important information about your migratory bird list, including how to properly interpret and use your migratory bird report, can be found [below](#).

For guidance on when to schedule activities or implement avoidance and minimization measures to reduce impacts to migratory birds on your list, click on the PROBABILITY OF PRESENCE SUMMARY at the top of your list to see when these birds are most likely to be present and breeding in your project area.

NAME

.....  
 BREEDING SEASON (IF A  
 BREEDING SEASON IS INDICATED  
 FOR A BIRD ON YOUR LIST, THE  
 BIRD MAY BREED IN YOUR  
 PROJECT AREA SOMETIME WITHIN  
 THE TIMEFRAME SPECIFIED,  
 WHICH IS A VERY LIBERAL  
 ESTIMATE OF THE DATES INSIDE  
 WHICH THE BIRD BREEDS ACROSS  
 ITS ENTIRE RANGE. "BREEDS  
 ELSEWHERE" INDICATES THAT THE  
 BIRD DOES NOT LIKELY BREED IN  
 YOUR PROJECT AREA.)  
 .....

**Bald Eagle** *Haliaeetus leucocephalus*

This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities.

Breeds Oct 15 to Aug 31

**Bendire's Thrasher** *Toxostoma bendirei*

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

<https://ecos.fws.gov/ecp/species/9435>

Breeds Mar 15 to Jul 31

**Black-chinned Sparrow** *Spizella atrogularis*

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

<https://ecos.fws.gov/ecp/species/9447>

Breeds Apr 15 to Jul 31

**Burrowing Owl** *Athene cunicularia*

This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA

<https://ecos.fws.gov/ecp/species/9737>

Breeds Mar 15 to Aug 31

**Clark's Grebe** *Aechmophorus clarkii*

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

Breeds Jan 1 to Dec 31

<b>Costa's Hummingbird</b> <i>Calypte costae</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9470">https://ecos.fws.gov/ecp/species/9470</a>	Breeds Jan 15 to Jun 10
<b>Elf Owl</b> <i>Micrathene whitneyi</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/9085">https://ecos.fws.gov/ecp/species/9085</a>	Breeds May 1 to Jul 15
<b>Gila Woodpecker</b> <i>Melanerpes uropygialis</i> This is a Bird of Conservation Concern (BCC) only in particular Bird Conservation Regions (BCRs) in the continental USA <a href="https://ecos.fws.gov/ecp/species/5960">https://ecos.fws.gov/ecp/species/5960</a>	Breeds Apr 1 to Aug 31
<b>Gilded Flicker</b> <i>Colaptes chrysoides</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/2960">https://ecos.fws.gov/ecp/species/2960</a>	Breeds May 1 to Aug 10
<b>Golden Eagle</b> <i>Aquila chrysaetos</i> This is not a Bird of Conservation Concern (BCC) in this area, but warrants attention because of the Eagle Act or for potential susceptibilities in offshore areas from certain types of development or activities. <a href="https://ecos.fws.gov/ecp/species/1680">https://ecos.fws.gov/ecp/species/1680</a>	Breeds Dec 1 to Aug 31
<b>Lawrence's Goldfinch</b> <i>Carduelis lawrencei</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9464">https://ecos.fws.gov/ecp/species/9464</a>	Breeds Mar 20 to Sep 20
<b>Long-billed Curlew</b> <i>Numenius americanus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/5511">https://ecos.fws.gov/ecp/species/5511</a>	Breeds elsewhere
<b>Marbled Godwit</b> <i>Limosa fedoa</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/9481">https://ecos.fws.gov/ecp/species/9481</a>	Breeds elsewhere
<b>Rufous Hummingbird</b> <i>selasphorus rufus</i> This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska. <a href="https://ecos.fws.gov/ecp/species/8002">https://ecos.fws.gov/ecp/species/8002</a>	Breeds elsewhere

**Rufous-winged Sparrow** *Aimophila carpalis*

Breeds Jun 15 to Sep 30

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

**Willet** *Tringa semipalmata*

Breeds elsewhere

This is a Bird of Conservation Concern (BCC) throughout its range in the continental USA and Alaska.

## Probability of Presence Summary

The graphs below provide our best understanding of when birds of concern are most likely to be present in your project area. This information can be used to tailor and schedule your project activities to avoid or minimize impacts to birds. Please make sure you read and understand the FAQ "Proper Interpretation and Use of Your Migratory Bird Report" before using or attempting to interpret this report.

### Probability of Presence (■)

Each green bar represents the bird's relative probability of presence in the 10km grid cell(s) your project overlaps during a particular week of the year. (A year is represented as 12 4-week months.) A taller bar indicates a higher probability of species presence. The survey effort (see below) can be used to establish a level of confidence in the presence score. One can have higher confidence in the presence score if the corresponding survey effort is also high.

How is the probability of presence score calculated? The calculation is done in three steps:

1. The probability of presence for each week is calculated as the number of survey events in the week where the species was detected divided by the total number of survey events for that week. For example, if in week 12 there were 20 survey events and the Spotted Towhee was found in 5 of them, the probability of presence of the Spotted Towhee in week 12 is 0.25.
2. To properly present the pattern of presence across the year, the relative probability of presence is calculated. This is the probability of presence divided by the maximum probability of presence across all weeks. For example, imagine the probability of presence in week 20 for the Spotted Towhee is 0.05, and that the probability of presence at week 12 (0.25) is the maximum of any week of the year. The relative probability of presence on week 12 is  $0.25/0.25 = 1$ ; at week 20 it is  $0.05/0.25 = 0.2$ .
3. The relative probability of presence calculated in the previous step undergoes a statistical conversion so that all possible values fall between 0 and 10, inclusive. This is the probability of presence score.

To see a bar's probability of presence score, simply hover your mouse cursor over the bar.

### Breeding Season (■)

Yellow bars denote a very liberal estimate of the time-frame inside which the bird breeds across its entire range. If there are no yellow bars shown for a bird, it does not breed in your project area.

### Survey Effort (|)

Vertical black lines superimposed on probability of presence bars indicate the number of surveys performed for that species in the 10km grid cell(s) your project area overlaps. The number of surveys is expressed as a range, for example, 33 to 64 surveys.


To see a bar's survey effort range, simply hover your mouse cursor over the bar.


### No Data (-)

A week is marked as having no data if there were no survey events for that week.

### Survey Timeframe

Surveys from only the last 10 years are used in order to ensure delivery of currently relevant information. The exception to this is areas off the Atlantic coast, where bird returns are based on all years of available data, since data in these areas is currently much more sparse.







**Tell me more about conservation measures I can implement to avoid or minimize impacts to migratory birds.**

[Nationwide Conservation Measures](#) describes measures that can help avoid and minimize impacts to all birds at any location year round. Implementation of these measures is particularly important when birds are most likely to occur in the project area. When birds may be breeding in the area, identifying the locations of any active nests and avoiding their destruction is a very helpful impact minimization measure. To see when birds are most likely to occur and be breeding in your project area, view the Probability of Presence Summary. [Additional measures](#) and/or [permits](#) may be advisable depending on the type of activity you are conducting and the type of infrastructure or bird species present on your project site.

**What does IPaC use to generate the migratory birds potentially occurring in my specified location?**

The Migratory Bird Resource List is comprised of USFWS [Birds of Conservation Concern \(BCC\)](#) and other species that may warrant special attention in your project location.

The migratory bird list generated for your project is derived from data provided by the [Avian Knowledge Network \(AKN\)](#). The AKN data is based on a growing collection of [survey, banding, and citizen science datasets](#) and is queried and filtered to return a list of those birds reported as occurring in the 10km grid cell(s) which your project intersects, and that have been identified as warranting special attention because they are a BCC species in that area, an eagle ([Eagle Act](#) requirements may apply), or a species that has a particular vulnerability to offshore activities or development.

Again, the Migratory Bird Resource list includes only a subset of birds that may occur in your project area. It is not representative of all birds that may occur in your project area. To get a list of all birds potentially present in your project area, please visit the [E-bird Explore Data Tool](#).

## What does IPaC use to generate the probability of presence graphs for the migratory birds potentially occurring in my specified location?

The probability of presence graphs associated with your migratory bird list are based on data provided by the [Avian Knowledge Network \(AKN\)](#). This data is derived from a growing collection of [survey, banding, and citizen science datasets](#).

Probability of presence data is continuously being updated as new and better information becomes available. To learn more about how the probability of presence graphs are produced and how to interpret them, go the Probability of Presence Summary and then click on the "Tell me about these graphs" link.

## How do I know if a bird is breeding, wintering, migrating or present year-round in my project area?

To see what part of a particular bird's range your project area falls within (i.e. breeding, wintering, migrating or year-round), you may refer to the following resources: [The Cornell Lab of Ornithology All About Birds Bird Guide](#), or (if you are unsuccessful in locating the bird of interest there), the [Cornell Lab of Ornithology Neotropical Birds guide](#). If a bird on your migratory bird species list has a breeding season associated with it, if that bird does occur in your project area, there may be nests present at some point within the timeframe specified. If "Breeds elsewhere" is indicated, then the bird likely does not breed in your project area.

## What are the levels of concern for migratory birds?

Migratory birds delivered through IPaC fall into the following distinct categories of concern:

1. "BCC Rangewide" birds are [Birds of Conservation Concern](#) (BCC) that are of concern throughout their range anywhere within the USA (including Hawaii, the Pacific Islands, Puerto Rico, and the Virgin Islands);
2. "BCC - BCR" birds are BCCs that are of concern only in particular Bird Conservation Regions (BCRs) in the continental USA; and
3. "Non-BCC - Vulnerable" birds are not BCC species in your project area, but appear on your list either because of the [Eagle Act](#) requirements (for eagles) or (for non-eagles) potential susceptibilities in offshore areas from certain types of development or activities (e.g. offshore energy development or longline fishing).

Although it is important to try to avoid and minimize impacts to all birds, efforts should be made, in particular, to avoid and minimize impacts to the birds on this list, especially eagles and BCC species of rangewide concern. For more information on conservation measures you can implement to help avoid and minimize migratory bird impacts and requirements for eagles, please see the FAQs for these topics.

## Details about birds that are potentially affected by offshore projects

For additional details about the relative occurrence and abundance of both individual bird species and groups of bird species within your project area off the Atlantic Coast, please visit the [Northeast Ocean Data Portal](#). The Portal also offers data and information about other taxa besides birds that may be helpful to you in your project review. Alternately, you may download the bird model results files underlying the portal maps through the [NOAA NCCOS Integrative Statistical Modeling and Predictive Mapping of Marine Bird Distributions and Abundance on the Atlantic Outer Continental Shelf](#) project webpage.

Bird tracking data can also provide additional details about occurrence and habitat use throughout the year, including migration. Models relying on survey data may not include this information. For additional information on marine bird tracking data, see the [Diving Bird Study](#) and the [nanotag studies](#) or contact [Caleb Spiegel](#) or [Pam Loring](#).

## What if I have eagles on my list?

If your project has the potential to disturb or kill eagles, you may need to [obtain a permit](#) to avoid violating the Eagle Act should such impacts occur.

## Proper Interpretation and Use of Your Migratory Bird Report

The migratory bird list generated is not a list of all birds in your project area, only a subset of birds of priority concern. To learn more about how your list is generated, and see options for identifying what other birds may be in your project area, please see the FAQ "What does IPaC use to generate the migratory birds potentially occurring in my specified location". Please be aware this report provides the "probability of presence" of birds within the 10 km grid cell(s) that overlap your project; not your exact project footprint. On the graphs provided, please also look carefully at the survey effort (indicated by the black vertical bar) and for the existence of the "no data" indicator (a red horizontal bar). A high survey effort is the key component. If the survey effort is high, then the probability of presence score can be viewed as more dependable. In contrast, a low survey effort bar or no data bar means a lack of data and, therefore, a lack of certainty about presence of the species. This list is not perfect; it is simply a starting point for identifying what birds of concern have the potential to be in your project area, when they might be there, and if they might be breeding (which means nests might be present). The list helps you know what to look for to confirm presence, and helps guide you in knowing when to implement conservation measures to avoid or minimize potential impacts from your project activities, should presence be confirmed. To learn more about conservation measures, visit the FAQ "Tell me about conservation measures I can implement to avoid or minimize impacts to migratory birds" at the bottom of your migratory bird trust resources page.

## Facilities

### Wildlife refuges and fish hatcheries

REFUGE AND FISH HATCHERY INFORMATION IS NOT AVAILABLE AT THIS TIME

## Wetlands in the National Wetlands Inventory

Impacts to [NWI wetlands](#) and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local [U.S. Army Corps of Engineers District](#).

Please note that the NWI data being shown may be out of date. We are currently working to update our NWI data set. We recommend you verify these results with a site visit to determine the actual extent of wetlands on site.

This location overlaps the following wetlands:

FRESHWATER POND

[PUB](#)

LAKE

[L2UB](#)

RIVERINE

[R4SB](#)

A full description for each wetland code can be found at the [National Wetlands Inventory website](#)

### **Data limitations**

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

### **Data exclusions**

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tubercid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

### **Data precautions**

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

# Arizona Environmental Online Review Tool Report



## *Arizona Game and Fish Department Mission*

*To conserve Arizona's diverse wildlife resources and manage for safe, compatible outdoor recreation opportunities for current and future generations.*

**Project Name:**

Southeast Power Link

**Project Description:**

Transmission line

**Project Type:**

Energy Storage/Production/Transfer, Energy Transfer, Power line/electric line (new)

**Contact Person:**

Patrick Golden

**Organization:**

Heritage Environmental Consultants

**On Behalf Of:**

CONSULTING

**Project ID:**

HGIS-07344

***Please review the entire report for project type and/or species recommendations for the location information entered. Please retain a copy for future reference.***

**Disclaimer:**

1. This Environmental Review is based on the project study area that was entered. The report must be updated if the project study area, location, or the type of project changes.
2. This is a preliminary environmental screening tool. It is not a substitute for the potential knowledge gained by having a biologist conduct a field survey of the project area. This review is also not intended to replace environmental consultation (including federal consultation under the Endangered Species Act), land use permitting, or the Departments review of site-specific projects.
3. The Departments Heritage Data Management System (HDMS) data is not intended to include potential distribution of special status species. Arizona is large and diverse with plants, animals, and environmental conditions that are ever changing. Consequently, many areas may contain species that biologists do not know about or species previously noted in a particular area may no longer occur there. HDMS data contains information about species occurrences that have actually been reported to the Department. Not all of Arizona has been surveyed for special status species, and surveys that have been conducted have varied greatly in scope and intensity. Such surveys may reveal previously undocumented population of species of special concern.
4. HabiMap Arizona data, specifically Species of Greatest Conservation Need (SGCN) under our State Wildlife Action Plan (SWAP) and Species of Economic and Recreational Importance (SERI), represent potential species distribution models for the State of Arizona which are subject to ongoing change, modification and refinement. The status of a wildlife resource can change quickly, and the availability of new data will necessitate a refined assessment.

**Locations Accuracy Disclaimer:**


Project locations are assumed to be both precise and accurate for the purposes of environmental review. The creator/owner of the Project Review Report is solely responsible for the project location and thus the correctness of the Project Review Report content.

**Recommendations Disclaimer:**

1. The Department is interested in the conservation of all fish and wildlife resources, including those species listed in this report and those that may have not been documented within the project vicinity as well as other game and nongame wildlife.
2. Recommendations have been made by the Department, under authority of Arizona Revised Statutes Title 5 (Amusements and Sports), 17 (Game and Fish), and 28 (Transportation).
3. Potential impacts to fish and wildlife resources may be minimized or avoided by the recommendations generated from information submitted for your proposed project. These recommendations are preliminary in scope, designed to provide early considerations on all species of wildlife.
4. Making this information directly available does not substitute for the Department's review of project proposals, and should not decrease our opportunity to review and evaluate additional project information and/or new project proposals.
5. Further coordination with the Department requires the submittal of this Environmental Review Report with a cover letter and project plans or documentation that includes project narrative, acreage to be impacted, how construction or project activity(s) are to be accomplished, and project locality information (including site map). Once AGFD had received the information, please allow 30 days for completion of project reviews. Send requests to:  
**Project Evaluation Program, Habitat Branch**  
**Arizona Game and Fish Department**  
**5000 West Carefree Highway**  
**Phoenix, Arizona 85086-5000**  
**Phone Number: (623) 236-7600**  
**Fax Number: (623) 236-7366**  
**Or**  
[PEP@azgfd.gov](mailto:PEP@azgfd.gov)
6. Coordination may also be necessary under the National Environmental Policy Act (NEPA) and/or Endangered Species Act (ESA). Site specific recommendations may be proposed during further NEPA/ESA analysis or through coordination with affected agencies

# Southeast Power Link

## Aerial Image Basemap With Locator Map



- Project Boundary
- Buffered Project Boundary

Project Size (acres): 5,806.14

Lat/Long (DD): 33.3264 / -111.6443

County(s): Maricopa

AGFD Region(s): Mesa

Township/Range(s): T1S, R7E; T2S, R7E


USGS Quad(s): DESERT WELL; HIGLEY

Service Layer Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, ©



# Southeast Power Link

## Web Map As Submitted By User



-  Project Boundary
-  Buffered Project Boundary

Project Size (acres): 5,806.14

Lat/Long (DD): 33.3264 / -111.6443

County(s): Maricopa


AGFD Region(s): Mesa

Township/Range(s): T1S, R7E; T2S, R7E

USGS Quad(s): DESERT WELL; HIGLEY

Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

## Southeast Power Link Topo Basemap With Township/Ranges and Land Ownership



- |                           |                          |
|---------------------------|--------------------------|
| Project Boundary          | Military                 |
| Buffered Project Boundary | Mixed/Other              |
| Township/Ranges           | National Park/Mon.       |
| <b>Land Ownership</b>     |                          |
| AZ Game and Fish Dept.    | State and Regional Parks |
| BLM                       | State Trust              |
| BOR                       | US Forest Service        |
| Indian Res.               | Wildlife Area/Refuge     |

Project Size (acres): 5,806.14  
 Lat/Long (DD): 33.3264 / -111.6443  
 County(s): Maricopa  
 AGFD Region(s): Mesa  
 Township/Range(s): T1S, R7E; T2S, R7E  
 USGS Quad(s): DESERT WELL; HIGLEY

Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, © OpenStreetMap contributors, and the GIS User Community

**Special Status Species and Special Areas Documented within 3 Miles of Project Vicinity**

Scientific Name	Common Name	FWS	USFS	BLM	NPL	SGCN
Athene cunicularia hypugaea	Western Burrowing Owl	SC	S	S		1B
Empidonax traillii extimus	Southwestern Willow Flycatcher	LE				1A
Falco peregrinus anatum	American Peregrine Falcon	SC	S	S		1A
Gilbert Riparian Preserves IBA						
Haliaeetus leucocephalus pop. 3	Bald Eagle - Sonoran Desert Population	SC, BGA	S	S		1A
Haliaeetus leucocephalus	Bald Eagle	SC, BGA	S	S		1A

Note: Status code definitions can be found at <https://www.azgfd.com/wildlife/planning/wildlifeguidelines/statusdefinitions/>

**Species of Greatest Conservation Need  
 Predicted within 3 Miles of Project Vicinity based on Predicted Range Models**

Scientific Name	Common Name	FWS	USFS	BLM	NPL	SGCN
Aix sponsa	Wood Duck					1B
Ammospermophilus harrisi	Harris' Antelope Squirrel					1B
Aquila chrysaetos	Golden Eagle	BGA		S		1B
Athene cunicularia hypugaea	Western Burrowing Owl	SC	S	S		1B
Botaurus lentiginosus	American Bittern					1B
Buteo regalis	Ferruginous Hawk	SC		S		1B
Calypte costae	Costa's Hummingbird					1C
Chilomeniscus stramineus	Variable Sandsnake					1B
Chionactis occipitalis klauberi	Tucson Shovel-nosed Snake	SC				1A
Cistothorus palustris	Marsh Wren					1C
Colaptes chrysoides	Gilded Flicker			S		1B
Coluber bilineatus	Sonoran Whipsnake					1B
Corynorhinus townsendii pallescens	Pale Townsend's Big-eared Bat	SC	S	S		1B
Crotalus tigris	Tiger Rattlesnake					1B
Empidonax wrightii	Gray Flycatcher					1C
Euderma maculatum	Spotted Bat	SC	S	S		1B
Eumops perotis californicus	Greater Western Bonneted Bat	SC		S		1B
Falco peregrinus anatum	American Peregrine Falcon	SC	S	S		1A
Gopherus morafkai	Sonoran Desert Tortoise	CCA	S	S		1A
Haliaeetus leucocephalus	Bald Eagle	SC, BGA	S	S		1A
Heloderma suspectum	Gila Monster					1A
Incilius alvarius	Sonoran Desert Toad					1B
Kinosternon sonoriense sonoriense	Desert Mud Turtle			S		1B
Lasiurus blossevillii	Western Red Bat		S			1B
Lasiurus xanthinus	Western Yellow Bat		S			1B

**Species of Greatest Conservation Need  
 Predicted within 3 Miles of Project Vicinity based on Predicted Range Models**

Scientific Name	Common Name	FWS	USFS	BLM	NPL	SGCN
Leopardus pardalis	Ocelot	LE				1A
Leptonycteris curasoae yerbabuena	Lesser Long-nosed Bat	LE				1A
Lepus alleni	Antelope Jackrabbit					1B
Macrotus californicus	California Leaf-nosed Bat	SC		S		1B
Melanerpes uropygialis	Gila Woodpecker					1B
Melospiza lincolnii	Lincoln's Sparrow					1B
Melospiza aberti	Abert's Towhee		S			1B
Micrathene whitneyi	Elf Owl					1C
Micruroides euryxanthus	Sonoran Coralsnake					1B
Myiarchus tyrannulus	Brown-crested Flycatcher					1C
Myotis occultus	Arizona Myotis	SC		S		1B
Myotis velifer	Cave Myotis	SC		S		1B
Myotis yumanensis	Yuma Myotis	SC				1B
Nyctinomops femorosaccus	Pocketed Free-tailed Bat					1B
Oreoscoptes montanus	Sage Thrasher					1C
Oreothlypis luciae	Lucy's Warbler					1C
Panthera onca	Jaguar	LE				1A
Passerculus sandwichensis	Savannah Sparrow					1B
Phrynosoma goodei	Goode's Horned Lizard					1B
Phrynosoma solare	Regal Horned Lizard					1B
Phyllorhynchus browni	Saddled Leaf-nosed Snake					1B
Progne subis hesperia	Desert Purple Martin			S		1B
Rallus obsoletus yumanensis	Yuma Ridgway's Rail	LE				1A
Setophaga petechia	Yellow Warbler					1B
Sphyrapicus nuchalis	Red-naped Sapsucker					1C
Spizella breweri	Brewer's Sparrow					1C
Tadarida brasiliensis	Brazilian Free-tailed Bat					1B
Toxostoma lecontei	LeConte's Thrasher			S		1B
Troglodytes pacificus	Pacific Wren					1B
Vireo bellii arizonae	Arizona Bell's Vireo					1B
Vulpes macrotis	Kit Fox	No Status				1B

**Species of Economic and Recreation Importance Predicted within 3 Miles of Project Vicinity**

Scientific Name	Common Name	FWS	USFS	BLM	NPL	SGCN
Callipepla gambelii	Gambel's Quail					
Zenaidura macroura	White-winged Dove					
Zenaidura macroura	Mourning Dove					

**Project Type: Energy Storage/Production/Transfer, Energy Transfer, Power line/electric line (new)**

**Project Type Recommendations:**

Minimize potential introduction or spread of exotic invasive species. Invasive species can be plants, animals (exotic snails), and other organisms (e.g., microbes), which may cause alteration to ecological functions or compete with or prey upon native species and can cause social impacts (e.g., livestock forage reduction, increase wildfire risk). The terms noxious weed or invasive plants are often used interchangeably. Precautions should be taken to wash all equipment utilized in the project activities before leaving the site. Arizona has noxious weed regulations (Arizona Revised Statutes, Rules R3-4-244 and R3-4-245). See Arizona Department of Agriculture website for restricted plants, <https://agriculture.az.gov/>. Additionally, the U.S. Department of Agriculture has information regarding pest and invasive plant control methods including: pesticide, herbicide, biological control agents, and mechanical control, <http://www.usda.gov/wps/portal/usdahome>. The Department regulates the importation, purchasing, and transportation of wildlife and fish (Restricted Live Wildlife), please refer to the hunting regulations for further information <https://www.azgfd.com/hunting/regulations>.

The Department recommends that wildlife surveys are conducted to determine if noise-sensitive species occur within the project area. Avoidance or minimization measures could include conducting project activities outside of breeding seasons.

For any powerlines built, proper design and construction of the transmission line is necessary to prevent or minimize risk of electrocution of raptors, owls, vultures, and golden or bald eagles, which are protected under state and federal laws. Limit project activities during the breeding season for birds, generally May through late August, depending on species in the local area (raptors breed in early February through May). Conduct avian surveys to determine bird species that may be utilizing the area and develop a plan to avoid disturbance during the nesting season. For underground powerlines, trenches should be covered or back-filled as soon as possible. Incorporate escape ramps in ditches or fencing along the perimeter to deter small mammals and herptofauna (snakes, lizards, tortoise) from entering ditches. In addition, indirect affects to wildlife due to construction (timing of activity, clearing of rights-of-way, associated bridges and culverts, affects to wetlands, fences) should also be considered and mitigated.

Based on the project type entered, coordination with State Historic Preservation Office may be required (<http://azstateparks.com/SHPO/index.html>).

Based on the project type entered, coordination with U.S. Fish and Wildlife Service (Migratory Bird Treaty Act) may be required (<http://www.fws.gov/southwest/es/arizona/>).

Vegetation restoration projects (including treatments of invasive or exotic species) should have a completed site-evaluation plan (identifying environmental conditions necessary to re-establish native vegetation), a revegetation plan (species, density, method of establishment), a short and long-term monitoring plan, including adaptive management guidelines to address needs for replacement vegetation.

**Project Location and/or Species Recommendations:**

HDMS records indicate that one or more listed, proposed, or candidate species or Critical Habitat (Designated or Proposed) have been documented in the vicinity of your project. The Endangered Species Act (ESA) gives the US Fish and Wildlife Service (USFWS) regulatory authority over all federally listed species. Please contact USFWS Ecological Services Offices at <http://www.fws.gov/southwest/es/arizona/> or:

**Phoenix Main Office**

2321 W. Royal Palm Rd, Suite 103  
Phoenix, AZ 85021  
Phone: 602-242-0210  
Fax: 602-242-2513

**Tucson Sub-Office**

201 N. Bonita Suite 141  
Tucson, AZ 85745  
Phone: 520-670-6144  
Fax: 520-670-6155

**Flagstaff Sub-Office**

SW Forest Science Complex  
2500 S. Pine Knoll Dr.  
Flagstaff, AZ 86001  
Phone: 928-556-2157  
Fax: 928-556-2121

HDMS records indicate that Western Burrowing Owls have been documented within the vicinity of your project area. Please review the western burrowing owl resource page at:  
<https://www.azgfd.com/wildlife/speciesofgreatestconservneed/burrowingowlmanagement/>.

The analysis has detected one or more Important Bird Areas within your project vicinity. Please see [http://aziba.org/?page\\_id=38](http://aziba.org/?page_id=38) for details about the Important Bird Area(s) identified in the report.

